



香港城市大學
City University of Hong Kong

專業 創新 胸懷全球
Professional · Creative
For The World

CityU Scholars

The aggregated structural-change model

Chong, Terence Tai-Leung; Yan, Isabel Kit-Ming; Liu, Guoxin

Published in:
Economics Bulletin

Published: 10/01/2007

Document Version:
Final Published version, also known as Publisher's PDF, Publisher's Final version or Version of Record

License:
Unspecified

Publication record in CityU Scholars:
[Go to record](#)

Publication details:
Chong, T. T-L., Yan, I. K-M., & Liu, G. (2007). The aggregated structural-change model. *Economics Bulletin*, 3(2), 1-10.

Citing this paper

Please note that where the full-text provided on CityU Scholars is the Post-print version (also known as Accepted Author Manuscript, Peer-reviewed or Author Final version), it may differ from the Final Published version. When citing, ensure that you check and use the publisher's definitive version for pagination and other details.

General rights

Copyright for the publications made accessible via the CityU Scholars portal is retained by the author(s) and/or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights. Users may not further distribute the material or use it for any profit-making activity or commercial gain.

Publisher permission

Permission for previously published items are in accordance with publisher's copyright policies sourced from the SHERPA RoMEO database. Links to full text versions (either Published or Post-print) are only available if corresponding publishers allow open access.

Take down policy

Contact lbscholars@cityu.edu.hk if you believe that this document breaches copyright and provide us with details. We will remove access to the work immediately and investigate your claim.

The Aggregated Structural-Change Model

Terence Tai-Leung Chong
The Chinese University of Hong Kong

Isabel Kit-Ming Yan
City University of hong Kong

Guoxin Liu
York University

Abstract

Most of the existing structural-change models presume that the impact of a change is instantaneous and occurs at the same time for all individuals. In this paper, we develop a new structural-change model to measure the lag length between the time when an economic crisis breaks out and the time when the impact is transmitted to various economic sectors. Our model allows different transmission lags for individuals with heterogenous characteristics. Simulation results for the performance of the estimators are reported.

Citation: Chong, Terence Tai-Leung, Isabel Kit-Ming Yan, and Guoxin Liu, (2007) "The Aggregated Structural-Change Model." *Economics Bulletin*, Vol. 3, No. 2 pp. 1-10

Submitted: July 22, 2006. **Accepted:** January 10, 2007.

URL: <http://economicsbulletin.vanderbilt.edu/2007/volume3/EB-06C20066A.pdf>

1 Introduction

Existing structural-change models usually presume no lag or identical lag in the diffusion¹ of shocks to individuals with heterogeneous economic characteristics. Although this type of abrupt change approach provides a parsimonious simplification of individual behavior, it is rather unrealistic. For instance, when there is a stock market crash, people with different positions in the stock market are likely to be affected differently. Similarly, in an oil crisis, the surge in the oil price will immediately affect the sectors that rely heavily on oil, such as the transportation and the plastic manufacturing sectors, while its impact on other sectors will appear later.

The objective of this paper is to develop a model for this kind of multiple-order diffusion process and estimate the parameters which govern the diffusion duration. The model combines the structural-change model (Kurozumi, 2005; Chong, 2001, 2003) and the aggregation model (Theil, 1954; Granger, 1980; Forni and Lippi, 1997; Chong, 2006)². We assume that the break date for each individual is drawn from a distribution with unknown parameters. By aggregating the individual abrupt-change functions, we get the aggregate structural-change model.

The remaining of this paper is organized as follows: In Section 2, we develop the aggregate structural-change model and derive a procedure to estimate the pre- and post-shift parameters, as well as the parameters of the underlying distribution that governs the lag length. Section 3 presents the simulation results of the proposed estimation method. Section 4 concludes the paper.

¹For more details on diffusion, one is referred to Jovanovic and MacDonald (1994), Lippi and Reichlin (1994) and Andolfatto and MacDonald (1998).

²A comprehensive literature review on the problem of aggregations over individuals is provided in Stoker (1993). More recent works in the area of aggregation include Olsen (2000) and Aoki (2002).

2 The Model

Suppose that an economic crisis occurs at time $t = 0$ in an economy with n individuals. The crisis is likely to trigger a domino effect, as different people may be affected by the crisis differently. We construct the following simple structural-break model to capture the heterogeneity in the diffusion of shocks for individual i at time t :

$$\begin{aligned} y_{it} &= (a_1 + b_1 x_{it}) 1\{t < k_i\} + (a_2 + b_2 x_{it}) 1\{t \geq k_i\} + \varepsilon_t + \eta_{it} \quad (1) \\ (i &= 1, 2, \dots, n; t = 0, 1, 2, \dots, T.) \end{aligned}$$

where

$k_i \in \{0, 1, 2, \dots, T\}$ is the lag in the diffusion of shocks triggered by a crisis occurred at time 0. The duration varies across individuals.

$1\{\cdot\}$ is an indicator function which equals one if the condition inside the bracket is true, and equals zero otherwise.

The error components ε_t and $\eta_{1t}, \eta_{2t}, \dots, \eta_{nt}$ are pair-wise independent, with zero means and with variances $\text{var}(\varepsilon_t) = \sigma_\varepsilon^2$ and $\text{var}(\eta_{it}) = \sigma_\eta^2$ for all i . It is also assumed that ε_t are serially independent.

Given the structural-break functions of all the individuals in the economy, we can derive the aggregate structural-change model by performing a linear aggregation. Our analysis is based on the per capita series, which has the same time series properties as the aggregate series. Let

$$\begin{aligned}
\bar{y}_t &= \frac{1}{n} \sum_{i=1}^n y_{it} \\
&= a_1 \frac{1}{n} \sum_{i=1}^n 1 \{t < k_i\} + b_1 \frac{1}{n} \sum_{i=1}^n x_{it} 1 \{t < k_i\} \\
&\quad + a_2 \frac{1}{n} \sum_{i=1}^n 1 \{t \geq k_i\} + b_2 \frac{1}{n} \sum_{i=1}^n x_{it} 1 \{t \geq k_i\} + \varepsilon_t + \frac{1}{n} \sum_{i=1}^n \eta_{it}. \quad (2)
\end{aligned}$$

Let

$$\bar{x}_t = \frac{1}{n} \sum_{i=1}^n x_{it}.$$

We assume that k_i are independent across i and that the regressor x_{it} is independent of k_i for all i and t .

As $n \rightarrow \infty$, we have

$$\begin{aligned}
\frac{1}{n} \sum_{i=1}^n 1 \{t < k_i\} &\rightarrow \Pr(k_i > t), \\
\frac{1}{n} \sum_{i=1}^n 1 \{t \geq k_i\} &\rightarrow \Pr(k_i \leq t), \\
\frac{1}{n} \sum_{i=1}^n x_{it} 1 \{t < k_i\} &\rightarrow \bar{x}_t \Pr(k_i > t), \\
\frac{1}{n} \sum_{i=1}^n x_{it} 1 \{t \geq k_i\} &\rightarrow \bar{x}_t \Pr(k_i \leq t), \\
\frac{1}{n} \sum_{i=1}^n \eta_{it} &\rightarrow 0,
\end{aligned}$$

and

$$\bar{y}_t = (a_1 + b_1 \bar{x}_t) \Pr(k_i > t) + (a_2 + b_2 \bar{x}_t) \Pr(k_i \leq t) + \varepsilon_t. \quad (3)$$

A salient feature of this model is that it is derived from the aggregation of individual structural change functions that allow for heterogeneous individual specific characteristics.

2.1 Estimation in Finite Sample

For finite value of T , we use a Poisson distribution³ (with mean m_0) to model the arrival time of the impact. Thus,

$$\Pr(k_i = j) = \frac{m_0^j \exp(-m_0)}{j!}, \quad j = 0, 1, 2, \dots \quad (4)$$

where $0 \leq m_0 \leq T$ is assumed. Hence,

$$\Pr(k_i \leq t) = \sum_{x=0}^t \frac{m_0^x \exp(-m_0)}{x!} = \frac{\Gamma(t, m_0)}{\Gamma(t)}, \quad (5)$$

where

$$\Gamma(t, m) = \sum_{x=0}^t \frac{m^x \exp(-m)}{x!} \Gamma(t) \quad (6)$$

and

$$\Gamma(t) = (t-1)!. \quad (7)$$

Thus, we have

³Aoki (2002) studies the aggregation of individual binary decision rules, he shows that under certain conditions, one can obtain a Poisson distribution.

$$\bar{y}_t = (a_1 + b_1 \bar{x}_t) \left(1 - \frac{\Gamma(t, m)}{\Gamma(t)} \right) + (a_2 + b_2 \bar{x}_t) \frac{\Gamma(t, m)}{\Gamma(t)} + \varepsilon_t. \quad (8)$$

We estimate the model by using a two-step nonlinear LS estimation procedure. For any given m , we find the LS estimators $\hat{a}_{1T}(m)$, $\hat{a}_{2T}(m)$, $\hat{b}_{1T}(m)$ and $\hat{b}_{2T}(m)$ to minimize the total sum of squared residuals $RSS(m)$ defined as

$$\sum_{t=0}^T \left(\bar{y}_t - \left(\hat{a}_{1T}(m) + \hat{b}_{1T}(m) \bar{x}_t \right) \left(1 - \frac{\Gamma(t, m)}{\Gamma(t)} \right) - \left(\hat{a}_{2T}(m) + \hat{b}_{2T}(m) \bar{x}_t \right) \frac{\Gamma(t, m)}{\Gamma(t)} \right)^2. \quad (9)$$

We then search for a value of m which minimizes $RSS(m)$. The estimator for m is defined as

$$\hat{m} = \underset{m \in (0, T)}{\text{Arg min}} RSS(m). \quad (10)$$

After obtaining the \hat{m} , the final structural estimators are

$$\hat{a}_{iT}(\hat{m}) \text{ and } \hat{b}_{iT}(\hat{m}) \text{ for } i = 1, 2. \quad (11)$$

2.2 Estimation in Large Sample

In order to allow for asymptotic analysis, we need to convert the time scale from $\{0, 1, 2, 3, \dots, T\}$ into the $[0, 1]$ interval. The Poisson distribution does not have a continuous counterpart in the zero-one interval. Thus, we need to employ a continuous distribution in this interval. Since the time is re-scaled, the model should be rewritten as

$$\bar{y}_t = (a_1 + b_1 \bar{x}_t) \Pr(l_i > h) + (a_2 + b_2 \bar{x}_t) \Pr(l_i \leq h) + \varepsilon_t. \quad (12)$$

where

$$h = \frac{t}{T} \in [0, 1];$$

$l_i = \frac{m_i}{T} \in [0, 1]$ is the diffusion duration of a crisis for individual i , i.e., the lag length in time before individual i is impacted by the crisis.

For simplicity, we employ the Beta distribution, which is in $[0, 1]$. For the Beta distribution, we have

$$\Pr(l_i \leq h) = \int_0^h f(\tau; \alpha, \beta) d\tau, \quad (13)$$

where

$$f(\tau; \alpha, \beta) = \begin{cases} \frac{\Gamma(\alpha+\beta)\tau^{\alpha-1}(1-\tau)^{\beta-1}}{\Gamma(\alpha)\Gamma(\beta)} & \text{if } 0 \leq \tau \leq 1, \\ 0 & \text{otherwise.} \end{cases} \quad (14)$$

When $h = 0$, we have $\Pr(l_i \leq 0) = 0$; when $h = 1$, we have $\Pr(l_i \leq 1) = 1$. For any given positive α and β , the residual sum of squares is equal to

$$RSS(v) = \sum_{t=0}^T [\bar{y}_t - (a_1 + b_1 \bar{x}_t) \Pr(l_i > h) - (a_2 + b_2 \bar{x}_t) \Pr(l_i \leq h)]^2, \quad (15)$$

where

$$v = (a_1, a_2, b_1, b_2, \alpha, \beta). \quad (16)$$

The nonlinear LS estimators are

$$\hat{v} = (\hat{a}_1, \hat{a}_2, \hat{b}_1, \hat{b}_2, \hat{\alpha}, \hat{\beta}) = \arg \min_{v \in R^4 \times R_+^2} RSS(v). \quad (17)$$

3 Simulations

In this section, we study the performance of our estimators for the following mean-shift model:

$$y_{it} = a_1 1\{t < k_i\} + a_2 1\{t \geq k_i\} + \varepsilon_t + \eta_{it}.$$

The pre- and post-shift parameters are $a_1 = -1$ and $a_2 = 1$ respectively. All the error terms are drawn independently from a standard normal distribution.

Experiment 1:

The objective of this experiment is to demonstrate the performance of the estimators of the pre- and post-shift regression coefficients and the Poisson mean coefficient m_0 . The sample sizes of the simulations are $T = 50, 100$ and 200 . The true values of m_0 are set to $0.5T$ and $0.3T$. We carry out the simulation for a sample with 100 individuals ($n = 100$) and a sample with a larger number of individuals ($n = 1000$). The number of replications is $R = 200$.

The Poisson random variable with mean m_0 is simulated by using the following inverse transformation method:

- (1) Generate a uniform(0,1) random variable U .
- (2) $i = 0, p = \exp(-m_0), F = p$.
- (3) If $U < F$, set $X = i$ and stop.
- (4) $p = \frac{\lambda p}{i + 1}, F = F + p, i = i + 1$.
- (5) Go to step (3) until all the simulated observations are obtained.

Table 1 reports the average estimates across all replications. Note that the estimates get closer to the true values as T increases. When we com-

pare the results with different number of individuals ($n=100$ and 1000), the performance of the estimators are similar.

Table 1: The Mean of the Estimators in the Poisson Case

T	50	50	100	100	200	200
m_0	25	15	50	30	100	60
$(n = 100, R = 200)$						
\bar{a}_1 (true value = -1)	-1.0108	-1.0260	-1.0060	-0.9943	-0.9998	-1.0090
\bar{a}_2 (true value = 1)	1.0281	1.0304	1.0124	1.0209	1.0060	1.0016
\bar{m}	24.87	15.16	49.95	30.28	99.88	59.80
$(n = 1000, R = 200)$						
\bar{a}_1 (true value = -1)	-1.0131	-1.0034	-1.0166	-1.0143	-1.0090	-0.9969
\bar{a}_2 (true value = 1)	1.0479	1.0188	0.9973	1.0060	0.9942	0.9968
\bar{m}	24.94	15.21	50.07	29.88	99.67	60.17

Experiment 2:

This experiment evaluates the performance of the estimators in the Beta case. The sample sizes are $T = 50, 100$ and 150 . The numbers of individuals are set to $n = 150, 300$ and 1000 . The number of replications is set to $R = 500$. The parameters of Beta distribution are α and β . Let $\bar{a}_1, \bar{a}_2, \bar{\alpha}$ and $\bar{\beta}$ be the average of the estimates from the 500 replications. There are four cases of interest, namely, (i) $\alpha < 1$ and $\beta < 1$, (ii) $\alpha > 1$ and $\beta < 1$, (iii) $\alpha < 1$ and $\beta > 1$, and (iv) $\alpha > 1$ and $\beta > 1$. We exclude the cases where α or β equals 1. The results are reported in Table 2.

Table 2: The Mean of the Estimators in the Beta Case

T	50	50	50	100	100	100	150	150	150
n	150	300	1000	150	300	1000	150	300	1000
Case 1: $\alpha = 0.4, \beta = 0.7$									
$\overline{\hat{a}}_1$	0.983	0.986	0.990	0.981	0.988	0.982	0.979	0.986	0.988
$\overline{\hat{a}}_2$	-1.007	-1.060	-1.011	-1.017	-1.011	-1.016	-1.014	-1.012	-1.012
$\overline{\hat{\alpha}}$	0.397	0.379	0.394	0.384	0.387	0.386	0.390	0.384	0.392
$\overline{\hat{\beta}}$	0.685	0.696	0.679	0.680	0.693	0.689	0.688	0.691	0.683
Case 2: $\alpha = 1.3, \beta = 0.5$									
$\overline{\hat{a}}_1$	0.989	0.993	0.991	0.990	0.988	0.992	0.987	0.991	0.997
$\overline{\hat{a}}_2$	-1.015	-1.011	-1.012	-1.010	-1.014	-1.007	-1.011	-1.012	-1.002
$\overline{\hat{\alpha}}$	1.297	1.294	1.289	1.293	1.296	1.292	1.288	1.291	1.297
$\overline{\hat{\beta}}$	0.495	0.487	0.489	0.494	0.490	0.493	0.498	0.494	0.491
Case 3: $\alpha = 0.5, \beta = 1.6$									
$\overline{\hat{a}}_1$	0.981	0.984	0.989	0.993	0.984	0.994	0.985	0.987	0.995
$\overline{\hat{a}}_2$	-1.020	-1.017	-1.012	-1.011	-1.015	-1.008	-1.011	-1.019	-1.017
$\overline{\hat{\alpha}}$	0.487	0.490	0.492	0.484	0.492	0.489	0.488	0.485	0.486
$\overline{\hat{\beta}}$	1.587	1.589	1.592	1.584	1.587	1.586	1.595	1.592	1.597
Case 4: $\alpha = 1.2, \beta = 2$									
$\overline{\hat{a}}_1$	0.989	0.986	0.987	0.983	0.995	0.982	0.987	0.994	0.992
$\overline{\hat{a}}_2$	-1.017	-1.015	-1.013	-1.003	-1.011	-1.012	-1.012	-1.012	-1.010
$\overline{\hat{\alpha}}$	1.189	1.192	1.190	1.192	1.194	1.192	1.189	1.190	1.189
$\overline{\hat{\beta}}$	1.989	1.991	1.996	1.982	1.985	1.987	1.982	1.990	1.992

Table 2 shows that the estimation method provides good estimates of the pre- and post-shift regression coefficients and the distribution parameters α and β without the need of using a sample with very large number of individuals. For all specified values of T , the estimators perform well for $n = 150, 300$ and 1000 . Similarly, for all specified values of n , the estimators also perform well for $T = 50, 100$ and 150 .

4 Concluding Remarks

This paper contributes to the existing literature by developing a model that combines the features of an aggregation model and a structural-change model. The model is constructed by aggregating the individual abrupt-change models, with the transmission lag for each individual drawn from a distribution with an unknown mean. A salient feature of the model is that it allows for individual heterogeneity in the diffusion lag of economic crisis. The model can be estimated via the nonlinear LS method. Simulation results suggest that our estimators perform quite well in finite samples.

References

1. Andolfatto, D. and G.M. MacDonald, 1998. Technology Diffusion and Aggregate Dynamics. *Review of Economic Dynamics* 1, 338-370.
2. Aoki, M., 2002. *Modeling Aggregate Behavior and Fluctuations in Economics: Stochastic Views of Interacting Agents*. Cambridge; New York and Melbourne: Cambridge University Press.
3. Chong, T.T.L., 2000. Estimating the Differencing Parameter via the Partial Autocorrelation Function. *Journal of Econometrics* 97, 365-381.

4. Chong, T.T.L., 2001. Structural Change in AR(1) Models. *Econometric Theory* 17, 87-155.
5. Chong, T.T.L., 2003. Generic Consistency of the Break-Point Estimator under Specification Errors. *Econometrics Journal*, 6, 167-192.
6. Chong, T.T.L., 2006. The Polynomial Aggregated AR(1) Model. *Econometrics Journal*, 9, 98-122.
7. Forni, M. and M. Lippi, 1997. *Aggregation and the Microfoundations of Dynamic Macroeconomics*. Clarendon Press, Oxford.
8. Granger, C.W.J., 1980. Long Memory Relationships and the Aggregation of Dynamic Models. *Journal of Econometrics* 14, 227-238.
9. Jovanovic, B. and G.M. MacDonald, 1994. Competitive Diffusion. *Journal of Political Economy*, 102, 24-52.
10. Lippi, M. and L. Reichlin, 1994. Diffusion of Technical Change and the Decomposition of Output into Trend and Cycle. *Review of Economic Studies* 61, 19-30.
11. Stoker, T.M., 1993. Empirical Approaches to the Problem of Aggregation over Individuals. *Journal of Economic Literature* XXXI, 1827-1874.
12. Theil, H., 1954. *Linear Aggregation of Economic Relations*. Amsterdam: North-Holland.
13. Kurozumi, E., 2005. Detection of Structural Change in the Long-run Persistence in a Univariate Time Series. *Oxford Bulletin of Economics and Statistics* 67, 181-206.