



香港城市大學  
City University of Hong Kong

專業 創新 胸懷全球  
Professional · Creative  
For The World

## CityU Scholars

### Suggestions to minimise hesitancy and promote vaccination of children in Hong Kong

Chan, Jeffrey; Ng, KS; Hon, Benny YC; Lam, Simon C

**Published in:**

Hong Kong Medical Journal

**Published:** 01/02/2023

**Document Version:**

Final Published version, also known as Publisher's PDF, Publisher's Final version or Version of Record

**License:**

CC BY-NC-ND

**Publication record in CityU Scholars:**

[Go to record](#)

**Published version (DOI):**

[10.12809/hkmj2210487](https://doi.org/10.12809/hkmj2210487)

**Publication details:**

Chan, J., Ng, KS., Hon, B. YC., & Lam, S. C. (2023). Suggestions to minimise hesitancy and promote vaccination of children in Hong Kong. *Hong Kong Medical Journal*, 29(1). Advance online publication. <https://doi.org/10.12809/hkmj2210487>

**Citing this paper**

Please note that where the full-text provided on CityU Scholars is the Post-print version (also known as Accepted Author Manuscript, Peer-reviewed or Author Final version), it may differ from the Final Published version. When citing, ensure that you check and use the publisher's definitive version for pagination and other details.

**General rights**

Copyright for the publications made accessible via the CityU Scholars portal is retained by the author(s) and/or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights. Users may not further distribute the material or use it for any profit-making activity or commercial gain.

**Publisher permission**

Permission for previously published items are in accordance with publisher's copyright policies sourced from the SHERPA RoMEO database. Links to full text versions (either Published or Post-print) are only available if corresponding publishers allow open access.

**Take down policy**

Contact [lbscholars@cityu.edu.hk](mailto:lbscholars@cityu.edu.hk) if you believe that this document breaches copyright and provide us with details. We will remove access to the work immediately and investigate your claim.

# Suggestions to minimise hesitancy and promote vaccination of children in Hong Kong

This article was published on 6 Jan 2023 at [www.hkmj.org](http://www.hkmj.org).

Hong Kong Med J 2023;29:86

<https://doi.org/10.12809/hkmj2210487>

*To the Editor*—Coronavirus disease 2019 (COVID-19) vaccine hesitancy was high initially<sup>1</sup> but persists in Hong Kong. As of 2 January 2023, 93.0% and 83.3% of the population had received the second and third doses of the COVID-19 vaccine, respectively.<sup>2</sup> However, vaccination uptake for the third dose was only 77.06% for age-group of 12-19 years and 30.92% for those aged 3-11 years.<sup>2</sup> The government intends to lower the vaccine pass age limit to 5 years and allow schools to hold full-day face-to-face classes only if 90% of students have received three doses of vaccine before 1 November 2022. According to one study,<sup>3</sup> there are four reasons for parental vaccine refusal: religious beliefs, personal beliefs or philosophical reasons, safety concerns, and a desire for more information from healthcare providers. Clearly the reason for the low vaccination rate in Hong Kong is mainly due to safety concerns. The Centre for Health Protection of the Department of Health publishes public health recommendations for the Hong Kong Childhood Immunisation Programme. Advised vaccines from birth onwards include Bacillus Calmette-Guérin, hepatitis B, and diphtheria, tetanus, acellular pertussis and inactivated poliovirus vaccines. Although the side-effects of these vaccines, such as low fever, redness, and a sore arm, are well known, parents do not oppose their administration. We recommend that the Department of Health collaborate with the Education Bureau to implement measures that can improve vaccine uptake. These include: provision of more scientific information, educational and on-site vaccination interventions to schools with a low vaccination rate,<sup>4</sup> measures to enhance the biological literacy of school children to encourage vaccination, rapid response by healthcare professionals to dispel rumours and conspiracy theories, education of parents about the benefits of vaccination, and provision of educational seminars via Zoom as continued regular education has been shown to improve the success of vaccination programmes.<sup>5</sup> In addition, the Centre for Health Protection may consider other options such as delivering a fractional dose to minimise the side-effects. Another study<sup>6</sup> suggests that using an intradermal fractional dose (10-20% the amount of the original dose) vaccination using a microneedle patch can result in better immunogenicity. Side-effects are the most common concern among those who are hesitant or opposed to vaccination. As the safety profile of fractional doses is comparable to that of a regular dose,<sup>7</sup> fractional dosages may help

combat such hesitancy.

## Author contributions

All authors contributed to the drafting of the letter and critical revision for important intellectual content. All authors approved the final version for publication, and take responsibility for its accuracy and integrity.

## Conflicts of interest

The authors have declared no conflicts of interest.

## Funding/support

The work of this letter was supported by a grant from the Research Grants Council of the Hong Kong Special Administrative Region (Project No.: CityU 11303521).

**Jeffrey Chan<sup>1</sup>, KS Ng<sup>2</sup>, PhD, Benny YC Hon<sup>3,4</sup>, PhD, Simon C Lam<sup>5</sup>\*, PhD, RN**

<sup>1</sup> King George V School, Hong Kong

<sup>2</sup> Department of Diagnostic Radiology, Li Ka Shing Faculty of Medicine, The University of Hong Kong, Hong Kong

<sup>3</sup> Department of Mathematics, City University of Hong Kong, Hong Kong

<sup>4</sup> Department of Psychology, The University of Science and Technology of China, Hefei, China

<sup>5</sup> School of Nursing, Tung Wah College, Hong Kong

\* Corresponding author: [simlc@alumni.cuhk.net](mailto:simlc@alumni.cuhk.net)

## References

1. Yu BY, Lam JC, Lam SC, et al. COVID-19 vaccine hesitancy and resistance in an urban Chinese population of Hong Kong: a cross-sectional study. *Hum Vaccin Immunother* 2022;18:2072144.
2. Hong Kong SAR Government. Hong Kong vaccination dashboard. Available from: <https://www.covidvaccine.gov.hk/en/dashboard>. Accessed 2 Jan 2023.
3. McKee C, Bohannon K. Exploring the reasons behind parental refusal of vaccines. *J Pediatr Pharmacol Ther* 2016;21:104-9.
4. Gellert P, Bethke N, Seybold J. School-based educational and on-site vaccination intervention among adolescents: study protocol of a cluster randomised controlled trial. *BMJ Open* 2019;9:e025113.
5. Akther T, Nur T. A model of factors influencing COVID-19 vaccine acceptance: a synthesis of the theory of reasoned action, conspiracy theory belief, awareness, perceived usefulness, and perceived ease of use. *PLoS One* 2022;17:e0261869.
6. Migliore A, Gigliucci G, Di Marzo R, Russo D, Mammucari M. Intradermal vaccination: a potential tool in the battle against the COVID-19 pandemic? *Risk Manag Healthc Policy* 2021;14:2079-87.
7. Yang B, Huang X, Gao H, Leung N, Tsang T, Cowling B. Immunogenicity, efficacy, and safety of SARS-CoV-2 vaccine dose fractionation: a systematic review and meta-analysis. *BMC Med* 2022;20:409.