



香港城市大學
City University of Hong Kong

專業 創新 胸懷全球
Professional · Creative
For The World

CityU Scholars

Correction

Three-dimensional homo-nanostructured MnO₂/nanographene membranes on a macroporous electrically conductive network for high performance supercapacitors (J. Mater. Chem. A (2016) 4 (11317–11329) DOI 10.1039/C6TA01823H)

Wu, Dajun; Xu, Shaohui; Zhang, Chi; Zhu, Yiping; Xiong, Dayuan; Huang, Rong; Qi, Ruijuan; Wang, Lianwei; Chu, Paul K.

Published in:

Journal of Materials Chemistry A

Published: 14/02/2017

Document Version:

Final Published version, also known as Publisher's PDF, Publisher's Final version or Version of Record

License:

CC BY

Publication record in CityU Scholars:

[Go to record](#)

Published version (DOI):

[10.1039/c7ta90022h](https://doi.org/10.1039/c7ta90022h)

Publication details:

Wu, D., Xu, S., Zhang, C., Zhu, Y., Xiong, D., Huang, R., Qi, R., Wang, L., & Chu, P. K. (2017). Correction: Three-dimensional homo-nanostructured MnO₂/nanographene membranes on a macroporous electrically conductive network for high performance supercapacitors (J. Mater. Chem. A (2016) 4 (11317–11329) DOI 10.1039/C6TA01823H). *Journal of Materials Chemistry A*, 5(6), 2987-2989. <https://doi.org/10.1039/c7ta90022h>

Citing this paper

Please note that where the full-text provided on CityU Scholars is the Post-print version (also known as Accepted Author Manuscript, Peer-reviewed or Author Final version), it may differ from the Final Published version. When citing, ensure that you check and use the publisher's definitive version for pagination and other details.

General rights

Copyright for the publications made accessible via the CityU Scholars portal is retained by the author(s) and/or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights. Users may not further distribute the material or use it for any profit-making activity or commercial gain.

Publisher permission

Permission for previously published items are in accordance with publisher's copyright policies sourced from the SHERPA RoMEO database. Links to full text versions (either Published or Post-print) are only available if corresponding publishers allow open access.

Take down policy

Contact lbscholars@cityu.edu.hk if you believe that this document breaches copyright and provide us with details. We will remove access to the work immediately and investigate your claim.



Cite this: *J. Mater. Chem. A*, 2017, 5, 2987

Correction: Three-dimensional homo-nanostructured MnO₂/nanographene membranes on a macroporous electrically conductive network for high performance supercapacitors

Dajun Wu,^a Shaohui Xu,^a Chi Zhang,^a Yiping Zhu,^a Dayuan Xiong,^a Rong Huang,^a Ruijuan Qi,^a Lianwei Wang^{*ab} and Paul K. Chu^b

DOI: 10.1039/c7ta90022h

www.rsc.org/MaterialsA

Correction for 'Three-dimensional homo-nanostructured MnO₂/nanographene membranes on a macroporous electrically conductive network for high performance supercapacitors' by Dajun Wu *et al.*, *J. Mater. Chem. A*, 2016, 4, 11317–11329.

The authors regret their oversight in omitting to attribute sections of Fig. 2–4 in the above paper to their previously reported work in ref. 1. The corrected captions are shown below.




Fig. 2 (a) Top view of the carbon incorporated Ni (Ni₃C)/MECN. (b) Top view of the nanographene/MECN. (c) Top view of the MnO₂/nanographene/MECN (inset is the magnification of (c)). (d) Top view of the MnO₂-MnO₂/nanographene/MECN. (e) Cross-sectional morphology of the MnO₂-MnO₂/nanographene/MECN. (f) EDS spectrum of the MnO₂-MnO₂/nanographene/MECN about the local zone area (1), (2) and (3) showing the chemical composition. (a) was reproduced from ref. 1.

^aKey Laboratory of Polar Materials and Devices, Ministry of Education and Department of Electronic Engineering, East China Normal University, 500 Dongchuan Road, Shanghai 200241, P. R. China. E-mail: hwwang@ee.ecnu.edu.cn; Fax: +86-021-54345119; Tel: +86-021-54345160

^bDepartment of Physics and Materials Science, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong, China






Fig. 3 (a) TEM image of Ni₃C/Ni composites (insets: SAED pattern of area 1 region). (b) HR-TEM image of Ni₃C/Ni composites of area 1 region in (a). (c) TEM image of nanographene/Ni composites (insets: SAED pattern of transparent region). (d) HR-TEM image of nanographene/Ni composites. (e) HAADF-STEM image of the graphene/Ni composites and the corresponding HAADF-STEM-EDS elemental mapping analysis of (f) C element mapping, (g) Ni element mapping, respectively. (h) Electron energy loss spectroscopy (EELS) spectra of sample in (e) (inset: dark-field image of graphene/Ni). (i) TEM image of MnO₂-MnO₂/nanographene/Ni. (j) HR-TEM image of local zone area (1) in (i). (k) HR-TEM image of local zone area (2) in (j). (a–d) were reproduced from ref. 1.






Fig. 4 XPS, XRD, Raman spectra of the samples: (a) survey spectrum, (b) high-resolution C 1s spectrum of Ni_3C , and (c) high-resolution C 1s spectrum of nanographene annealed at $800\text{ }^\circ\text{C}$. (d) XRD pattern acquired from the MECN, $\text{Ni}_3\text{C}/\text{MECN}$, nanographene/MECN. (e) XRD pattern of MnO_2/MECN , $\text{MnO}_2/\text{nanographene}/\text{MECN}$, $\text{MnO}_2\text{-MnO}_2/\text{nanographene}/\text{MECN}$. (f) Raman scattering spectra excited by 633 nm laser from nanographene/MECN, $\text{MnO}_2/\text{nanographene}/\text{MECN}$, $\text{MnO}_2\text{-MnO}_2/\text{nanographene}/\text{MECN}$. (b and c) were reproduced from ref. 1.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

References

- 1 D. Wu, C. Zhang, C. Liang, Y. Zhu, S. Xu, D. Xiong, S. Xue, L. Wang and P. K. Chu, *J. Mater. Chem. C*, 2016, **4**, 2079–2087.

