



香港城市大學  
City University of Hong Kong

專業 創新 胸懷全球  
Professional · Creative  
For The World

## CityU Scholars

### Complete Genome Sequences of Three Clinical Isolates of Dengue Virus Serotype 1 from South Korean Travelers

Go, Yun Young; Jung, Eunhye; Jeong, Young Eui; Balasuriya, Udeni B.R.

**Published in:**  
Genome Announcements

**Published:** 01/11/2015

**Document Version:**  
Final Published version, also known as Publisher's PDF, Publisher's Final version or Version of Record

**License:**  
CC BY

**Publication record in CityU Scholars:**  
[Go to record](#)

**Published version (DOI):**  
[10.1128/genomeA.01388-15](https://doi.org/10.1128/genomeA.01388-15)

**Publication details:**  
Go, Y. Y., Jung, E., Jeong, Y. E., & Balasuriya, U. B. R. (2015). Complete Genome Sequences of Three Clinical Isolates of Dengue Virus Serotype 1 from South Korean Travelers. *Genome Announcements*, 3(6), [e0138815]. <https://doi.org/10.1128/genomeA.01388-15>

#### Citing this paper

Please note that where the full-text provided on CityU Scholars is the Post-print version (also known as Accepted Author Manuscript, Peer-reviewed or Author Final version), it may differ from the Final Published version. When citing, ensure that you check and use the publisher's definitive version for pagination and other details.

#### General rights

Copyright for the publications made accessible via the CityU Scholars portal is retained by the author(s) and/or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights. Users may not further distribute the material or use it for any profit-making activity or commercial gain.

#### Publisher permission

Permission for previously published items are in accordance with publisher's copyright policies sourced from the SHERPA RoMEO database. Links to full text versions (either Published or Post-print) are only available if corresponding publishers allow open access.

#### Take down policy

Contact [lbscholars@cityu.edu.hk](mailto:lbscholars@cityu.edu.hk) if you believe that this document breaches copyright and provide us with details. We will remove access to the work immediately and investigate your claim.

# Complete Genome Sequences of Three Clinical Isolates of Dengue Virus Serotype 1 from South Korean Travelers

Yun Young Go,<sup>a</sup> Eunhye Jung,<sup>a</sup> Young Eui Jeong,<sup>b</sup> Udeni B. R. Balasuriya<sup>c</sup>

Virus Research and Testing Group, Division of Drug Discovery Research, Korea Research Institute of Chemical Technology, Yuseong, Daejeon, South Korea<sup>a</sup>; Division of Arboviruses, Korea National Institute of Health, Osong, South Korea<sup>b</sup>; Department of Veterinary Science, Maxwell H. Gluck Equine Research Center, College of Agriculture, Food and Environment and Department of Microbiology, Immunology and Molecular Genetics, College of Medicine, University of Kentucky, Lexington, Kentucky, USA<sup>c</sup>

**In this study, we report the complete genome sequences of three clinical isolates of dengue virus serotype 1 isolated from South Korean travelers returning from different countries in Southeast Asia. The nucleotide sequence identities ranged from 91.5 to 92.2%, while the amino acid sequence identities ranged from 97.5 to 97.9% among the three clinical isolates.**

Received 6 October 2015 Accepted 16 October 2015 Published 25 November 2015

**Citation** Go YY, Jung E, Jeong YE, Balasuriya UBR. 2015. Complete genome sequences of three clinical isolates of dengue virus serotype 1 from South Korean travelers. *Genome Announc* 3(6):e01388-15. doi:10.1128/genomeA.01388-15.

**Copyright** © 2015 Go et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 3.0 Unported license](https://creativecommons.org/licenses/by/3.0/).

Address correspondence to Yun Young Go, [yygo@kriict.re.kr](mailto:yygo@kriict.re.kr).

Dengue virus (DENV) is composed of four distinct serotypes (DENV-1 to -4), which belong to the genus *Flavivirus* in the family *Flaviviridae* (1). DENVs cause a wide range of clinical symptoms in humans, from acute febrile illness dengue fever to life-threatening dengue hemorrhagic fever/dengue shock syndrome (2). Dengue fever is considered a major public health problem in developing tropical countries, where the virus is endemic, and it is continuously spreading to new geographical areas around the world (3, 4). With increasing international travel to tropical regions where dengue is endemic or epidemic, the risk of DENV infection to travelers and expansion of its geographic distribution are continuously escalating (5, 6). The three clinical DENV-1 isolates used in this study were isolated from such imported cases (7). Based on the travel history, DenKor-01, DenKor-02, and DenKor-07 were isolated from travelers who returned from India-Singapore, Indonesia, and the Philippines, respectively.

Using a previously described protocol, the viruses were reverse-transcription PCR (RT-PCR) amplified in five overlapping fragments that covered the complete polyprotein (8). Both sense and antisense strands of each fragment were sequenced at a commercial sequencing facility (GenoTech, Daejeon, South Korea). The 5' and 3' terminal sequences of each viral genome were determined by rapid amplification of cDNA ends (RACE) using the FirstChoice RLM-RACE kit (Ambion, Austin, TX, USA), according to the manufacturer's instructions. The sequencing results were assembled using Codon-Code Aligner version 4.1.1 (CodonCode, Inc., Centerville, MA, USA) and further analyzed using the Geneious 6.1.8 (Biomatters Ltd., Auckland, New Zealand) software.

The complete genome sequences of the DenKor-01 (imported case in 2004), DenKor-02 (2005), and DenKor-07 (2006) isolates from the sera of travelers returning from Southeast Asia were 10,736, 10,735, and 10,734 nucleotides in length, respectively, and consisted of a single open reading frame (ORF), which encodes a 3,392-amino acid polyprotein. The nucleotide sequence identities

for the complete genomes, including the 5' and 3' untranslated regions (UTR), ranged from 91.5 to 92.2%, while the amino acid sequence identities for the translated regions ranged from 97.5 to 97.9% among the three clinical DENV-1 isolates. Surprisingly, DenKor-01 possessed an extra adenosine (nucleotide position 10,302), while DenKor-07 had a nucleotide (adenosine) deletion (nucleotide position 10,464), both located at the 3' UTR; thus, the length of the polyprotein remained equal in all three viruses. Phylogenetic analysis of the complete genome sequence of DenKor-01 confirmed that this virus belongs to genotype V, together with DENV-1 strains from India and Thailand (GenBank accession numbers JQ922545, AY732476, and AY732474). Similarly, the DenKor-02 isolate was grouped with the genotype I viruses and was very closely related to a strain from Singapore (GenBank accession FJ469909). Last, DenKor-07, isolated from a traveler returning from the Philippines, was included in genotype IV and showed a very close relationship to DENV-1 from Hawaii (GenBank accession no. DQ672564).

**Nucleotide sequence accession numbers.** The assembled complete genome sequences of DenKor-01, DenKor-02, and DenKor-07 strains are deposited in GenBank under the accession numbers [KP406801](https://www.ncbi.nlm.nih.gov/nuccore/KP406801), [KP406802](https://www.ncbi.nlm.nih.gov/nuccore/KP406802), and [KP406803](https://www.ncbi.nlm.nih.gov/nuccore/KP406803), respectively.

## ACKNOWLEDGMENTS

We thank the Korea Research Institute of Chemical Technology, Daejeon, South Korea, for the financial support. We also thank the Division of Arboviruses, Korea Centers for Disease Control and Prevention, Korea National Institute of Health, Osong, South Korea, for providing DENV-1 clinical isolates.

## REFERENCES

- Gubler DJ. 1998. The global pandemic of dengue/dengue haemorrhagic fever: current status and prospects for the future. *Ann Acad Med Singapore* 27:227-234.
- Gubler DJ. 1997. Dengue and dengue hemorrhagic fever. *Clin Microbiol Rev* 11:480-496. [http://dx.doi.org/10.1016/S1045-1870\(97\)80003-9](http://dx.doi.org/10.1016/S1045-1870(97)80003-9).
- Mathers CD, Ezzati M, Lopez AD. 2007. Measuring the burden of ne-

- glected tropical diseases: the global burden of disease framework. *PLoS Negl Trop Dis* 1:e114.
4. Normile D. 2007. Tropical diseases. Hunt for dengue vaccine heats up as the disease burden grows. *Science* 317:1494–1495. <http://dx.doi.org/10.1126/science.317.5844.1494>.
  5. Ito M, Yamada K, Takasaki T, Pandey B, Nerome R, Tajima S, Morita K, Kurane I. 2007. Phylogenetic analysis of dengue viruses isolated from imported dengue patients: possible aid for determining the countries where infections occurred. *J Travel Med* 14:233–244. <http://dx.doi.org/10.1111/j.1708-8305.2007.00130.x>.
  6. Stephenson JR. 2005. The problem with dengue. *Trans R Soc Trop Med Hyg* 99:643–646. <http://dx.doi.org/10.1016/j.trstmh.2005.05.003>.
  7. Jeong YE, Kim YH, Cho JE, Han MG, Ju YR. 2011. Identification of dengue type 1 virus (DENV-1) in Koreans traveling abroad. *Osong Public Health Res Perspect* 2:34–40. <http://dx.doi.org/10.1016/j.phrp.2011.04.002>.
  8. Christenbury JG, Aw PPK, Ong SH, Schreiber MJ, Chow A, Gubler DJ, Vasudevan SG, Ooi EE, Hibberd ML. 2010. A method for full genome sequencing of all four serotypes of the dengue virus. *J Virol Methods* 169: 202–206. <http://dx.doi.org/10.1016/j.jviromet.2010.06.013>.